References

1. Bijur, S. & Verma. S. 1995 b. Sequential appearance of insect pests and natural enemy complex on pea crop. *Indian J. Ent., 57(4)373-377.*
2. Bilapate, G. G., Pawar, V. M. and Raodev, A.K. 1977 Growth of population of H. armigera Hub. On Luceme, *Indian J. agric, Sci.,* 47: 540-541.
3. Bindra, O.S. & Singh, H. 1970. Cutworms as pest of pulse crops, *Pesticides*, August 1970.
4. Bingham, C.T. 1905. *The fauna of British India, including Ceylon and Burma, Butterflies*. Taylor and Francis Ltd., London. 1:1-512.
5. Birant E.S. 1968. How to get rid off the clrnic cutworms, *Plant Protection Informer*, 1(2) 1- 4 (Unpublished).
6. Bishnoi, O.P. Singh, M., V.U.M. Ram Niwas and Sharma, P.D. 1996. Population dynamics of cotton pests in relation to weather parameters, *Indian J. ent.* 58(2): 103-107.
7. Biswas, S.K. Sukul, P.,A. Chakraborty, A. Bhattacharya, A. K. Das and S. Pal (1991), Studies on residues of fennalerate and monocrtophos in okra (Abelmoschus esculentus Moench) Under West Bengal Agro-Climatic conditions. *Pesticide Research Journal*, 3(2),: 119-122.
8. Bogush, P.P. 1936 Some results of a study of insects by means of a light trap in Central Asia, *Bull, Ent. Res*., 27: 377-380.
9. Cantlle K. 1962. The Lycaenidae Portion (*except the Arthopala Group) of Brigadier Evens.*
10. Fraser, F.C. 1933. *Fauna of Britis India including Ceylon and Burma, Odnata* 1 Taylor and Francis Ltd., London, 1 – 423.

11. Ghose, L.K. Biswas, B. and Ghosh, M. 1996. Faunal Diversity in Hemiptera of the Thar desert In : *Faunal diversity in the Thar desert : Gaps in Research* eds. Ghosh, A. K. Baqri, Q. H. and Prakash, I. Scientific Publ., Jodhpur. Pp. 410.
12. Degri., M. M. & Chaudhary, J.P. 1998 Pest complex of cowpea and chemical control of flower blister control of flower blister beetles (*Mylabrts sp.)* in Bauchi, Nigeria, Indian J., Ent., 60 (I): 57-61.
13. Deshmukh, S. N. & Singh, J. 1975 Dissipation of carbaryl and malathion from okrn fruits. *Indian J. Ent*., 37(I): 64-67.
14. Deshmukhi, S.D., Singh, K. M. and Singh, R.N. 1992 Pest complex and their succession in *Linseed, Linum usitalissimum L. Indian J. Ent*., 54 (2): 168-173.
15. Devi, N.G. S. & Singh, T.K. 2004 effect of different host plants on growth and development of gram pod borer *Helicoverpa armigera (Hubner) Indian J. Ent*., 66(2): 114-118.
16. Distant, W.L. 1902. *The fauna of British India including Ceylon and Burma* (Heteroptera). Taylor and Francis Ltd., London. Vol. II pp 503.
17. Donahue, J.P. 1962 *Danaus, chrysippus, F. dorippus in Rajasthan. J. Bombay Nat Hist. Soc. 5*9(I): 312.
18. El-Rahman, M.M.T.A., Zaki, M.Y. and hamouda,L.S. 2005 dissipation of malathion in dill and coriander plants and their oils. *Arab Universities Journal of Agricultural Sciences,* 13(3):979-987.
19. Evans. W.H. 1932. *The identification of Indian butterflies* (2nd ed.) Bombay Natural History Society, Bombay: 1-454.

20. Falerio, J. R. Singh, K. M. and Singh, R. N. 1986 Pest complex and succession of insect pests in cowpea, Vigna unguicalata (L) *Walp. Indian J. Ent.,* 48(1) 54-61.
21. FAO/WHO. 1982 Pesticide residues in food, FAO, Plant Production and Protection, 46: 52-60.
22. Fitt., G.P., 1989. The ecology of Heliothis species in relation to agro-ecosystems. Ann., Rev., ent., 34: 17-52.
23. Goel. S.C. & Kumar, A. 1990 Insect pests and preduators associated to sunflower in winters of northern India, *Indian J. Ent. 52*(I): 39-45.
24. Gregg, P.C. Fitt, G.P. Coombs, M. and Henderson. G. S. 1993. Migrating noths (Lepidoptera) collected in tower mounted light traps in northern New South Wales, *Australia: Inspcies composition and seasonal abundance Bull, Ent., Res*., 83: 563-578.
25. Gupta, P. K. & Singh. J. 1993, Population studies on insect pests of green gram (Vigna radiate (L) Wilczek), *Indian J. Ent*., 55(I): 45-51.
26. Hampson, G.F. 1894. *The Fauna of British India, including Ceylon and Burma*, Moths, Taylor and Francis Ltd., London. 2: 1-610.
27. Hampson. G. F. 1895. *The Fauna of British India Including Ceylon and Burma*, Moths Taylor and Francis Ltd. London. 3:1-546.
28. Hooks, C. R. R. & Johnson. M. W. 2003, impact of agricultural diversification on this insect community of cruciferous crops. *Crop. Protection*., 22(2): 223-238.
29. Jacob & Sheila, 1996, Bio-efficiency of few synthetic pyrethroids against aphid Gossypium *on okra. Indian J. Ent*., 58(2):112-114.
30. Jamwal, R & Kandoria J. L. 1990. Appearance and build up of Aphis gossypii Glover on Chilli, brinjal and okrn in Punjab *Indian Aphidology,* 4:49-52.

31. Jayanthi, M., Singh K. M. and Singh, R. N. 1993 Sucession of insect pests on high-yielding variety MH4 of groundnut under Delhi conditions. *Indian J. Ent.,* 55(I): 24-29.
32. Jhala R.C. Patel, Y.C. Dabhi, M. V. and Patel, H.M. 2004. Upsurge of pupmpkin caterpillar, *Margaronia Indica (Saunders)* in cucurbits in Anand District of Gujarat, Insect Envt., 10(3), 122-124.
33. Joshi, H.C. & Mathur, Y.K. 1967, Aphids of Rajasthan *Madras Agric. J*., 54(5): 239-243.
34. Kavadia, V. S. & Shanker, A. 1976 Malathion and Carbaryl residues in/on tomato fruits. Proc. All india sym. On modern concepts in plant protection, March 26-28. Pp. 73-74.
35. Kadu, N.Radke, S.G. and Borle, M.N. 1987 Effect of temperature on the development of *Heliothis armigera (Hubner). Indian J. Ent*. 49(4): 535-543.
36. Kumar S. & Ahmed., S.I. 1997. Insect pests of forest trees in nurseries of Rajasthan. *Indian J. Ent. 59*(3): 331-335.